



Metals Analysis of Air Filters

Sample Company
Sample Contact
000 Sample Street
Suite 000
Sample City, CA 00000

Client ID: 0000
Report Number: M000000
Date Received: 00/00/0000
Date Analyzed: 00/00/0000
Date Printed: 00/00/0000
First Reported: 00/00/0000

Job ID / Site: Sample Site
Date(s) Collected: 00/00/0000

FALI Job ID: 0000-0
Total Samples Submitted: 5
Total Samples Analyzed: 5

Sample Number	Lab Number	Volume	Analyte	Result	Result Units	Reporting Limit*	Method Reference
1	00000000	1268 L	Cr	< 0.6	ug/m3	0.6	NIOSH 7303
	00000000	1268 L	Ni	< 0.3	ug/m3	0.3	NIOSH 7303
	00000000	1268 L	Pb	< 0.6	ug/m3	0.6	NIOSH 7303
2	00000000	1306 L	Cr	< 0.6	ug/m3	0.6	NIOSH 7303
	00000000	1306 L	Ni	< 0.3	ug/m3	0.3	NIOSH 7303
	00000000	1306 L	Pb	< 0.6	ug/m3	0.6	NIOSH 7303
3	00000000	1213 L	Cr	< 0.7	ug/m3	0.7	NIOSH 7303
	00000000	1213 L	Ni	< 0.3	ug/m3	0.3	NIOSH 7303
	00000000	1213 L	Pb	< 0.7	ug/m3	0.7	NIOSH 7303
4	00000000	961 L	Cr	< 0.8	ug/m3	0.8	NIOSH 7303
	00000000	961 L	Ni	< 0.4	ug/m3	0.4	NIOSH 7303
	00000000	961 L	Pb	< 0.8	ug/m3	0.8	NIOSH 7303
5	00000000	1158 L	Cr	< 0.7	ug/m3	0.7	NIOSH 7303
	00000000	1158 L	Ni	< 0.3	ug/m3	0.3	NIOSH 7303
	00000000	1158 L	Pb	< 0.7	ug/m3	0.7	NIOSH 7303

* The Reporting Limit represents the lowest amount of analyte that the laboratory can confidently detect in the sample, and is not a regulatory level. The Units for the Reporting Limit are the same as the Units for the Final Results.

Laboratory Supervisor, Hayward Laboratory

Analytical results and reports are generated by Forensic Analytical at the request of and for the exclusive use of the person or entity (client) named on such report. Results, reports or copies of same will not be released by Forensic Analytical to any third party without prior written request from client. This report applies only to the sample(s) tested. Supporting laboratory documentation is available upon request. This report must not be reproduced except in full, unless approved by Forensic Analytical. The client is solely responsible for the use and interpretation of test results and reports requested from Forensic Analytical. Forensic Analytical is not able to assess the degree of hazard resulting from materials analyzed. Forensic Analytical reserves the right to dispose of all samples after a period of thirty (30) days, according to all state and federal guidelines, unless otherwise specified. Any modifications that have been made to referenced test methods are documented in Forensic Analytical's Standard Operating Procedures Manual. Sample results have not been blank corrected. Quality control and sample receipt condition were acceptable unless otherwise noted.